











SCHEDA TECNICA



COPRIMURO UNICO EVOLUTION



COPRIMURO lunghezza cm 100 in cemento superlevigato colorato e idrofugato

CODICE	MIS. INT. Cm	Peso a pz. Kg	PEDANA		COLORI DISPONIBILI				
			ML	Pz	GRIGIO PERLACEO	ROSSO TERRA	BIANCO ROCCIA	GIALLO TUFO	SALMONE CHIARO
 CMU-EV/01	11,5	15,0	76	76	√	√	√	√	√
 CMU-EV/08	14,5	16,2	76	76	√	√	√	√	√
 CMU-EV/02	16,5	18,1	76	76	√	√	√	√	√
 CMU-EV/03	22	20,6	57	57	√	√	√	√	√
 CMU-EV/06	24	22,5	57	57	√	√	√	√	√
 CMU-EV/04	27	25,5	57	57	√	√	√	√	√
 CMU-EV/05	32	28,3	38	38	√	√	√	√	√
 CMU-EV/07	37	31,1	38	38	√	√	√	√	√

1 pezzo per ML

SCHEDA TECNICA



TESTATA



TESTATA lunghezza misura esterna cm 25 in cemento superlevigato colorato e idrofugato

ARTICOLO	MIS. INT. Cm	Peso a pz. Kg	Pedana Pz	COLORI DISPONIBILI				
				GRIGIO PERLACEO	ROSSO TERRA	BIANCO ROCCIA	GIALLO TUFO	SALMONE CHIARO
CMU-EV/T/01	11,5x22	3,4	60	√	√	√	√	√
CMU-EV/T/08	14,5x22	4,0	60	√	√	√	√	√
CMU-EV/T/02	16,5x22	4,3	60	√	√	√	√	√
CMU-EV/T/03	22x22	5,3	60	√	√	√	√	√
CMU-EV/T/06	24x22	5,7	60	√	√	√	√	√
CMU-EV/T/04	27x22	6,3	60	√	√	√	√	√
CMU-EV/T/05	32x22	7,3	60	√	√	√	√	√
CMU-EV/T/07	37x22	8,3	60	√	√	√	√	√

√ colore disponibile






SCHEDA TECNICA



CAPITELLO



CAPITELLO in cemento superlevigato colorato e idrofugato

ARTICOLO	MIS. INT. Cm	Peso a pz. Kg	Pedana Pz	COLORI DISPONIBILI				
				GRIGIO PERLACEO	ROSSO TERRA	BIANCO ROCCIA	GIALLO TUFO	SALMONE CHIARO
								
CMU-EV/CP/01	27x27	8,8	60	√	√	√	√	√
CMU-EV/CP/02	32x32	9,8	60	√	√	√	√	√
CMU-EV/CP/03	37x37	10,8	60	√	√	√	√	√